: SADDLE FITTING, FWD (OUTBOARD/INBOARD)

Date

Thursday, 6/21/2007 2:28:35 PM

User

Process Sheet

Customer Job Number : CU-DAR001 Dart Helicopters Services

Estimate Number

: 33040 : 10530

P.O. Number

: N)A

: 6/21/2007 This Issue

: NC

Kim Johnston

S.O. No. : NA

: 32165

Type

: MACHINED PARTS

Re-format: Change to Dwg Rev. D &

Part Number **Drawing Number**

Drawing Name

Project Number **Drawing Revision**

Material Due Date 7/11/2007

D2571 REV E

: D2571

: N/A

Qty:

12 Um:

Each

Previous Run Written By

Prsht Rev.

First Issue

Checked & Approved By

Comment

: Est: 1 02,16,02

incorporated D2572 KJ

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

D6101007

7075-T7351 8.25X7.75X2.5



Comment: Qty.:

1.0000 Each(s)/Unit

Total:

12.0000 Each(s)

7075-T7351 8.25X7.75X2.5

Make from D6101-007 billet for D2571 Ensure that grain is along 7.75" length

Batch No: <u>\$2 \ \ 3</u> \ \ \ 3

20

HAAS1

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No. Sh Double check by: 5-F-



- 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets
- 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
- 4-Deburr and remove all machining marks
- 5-Tumble to remove sharp edges.

3.0

MILLING CONV

CONVENTIONAL MILLING MACHINE



Comment: CONVENTIONAL MILLING MACHINE Machine keyway as per dwg D2571 & D2572



4.0

QC2



Comment: INSPECT PARTS AS THEY COME OFF MACHINE





W/O:		WORK ORDER CHA	ANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
¥*							
Part No	•	PAR #: Fault Category:	NCR: Yes,	No) DQ	A: 🗍	Date: _e	17/07/23

QA: N/C Closed: ____ Date: ___

A. 16 3. 10

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification					
DATE	STEP	Section A	Initial Chief Eng		ign & Date	Section C	Approval Chief Eng	Approva QC Inspecto			
			= %								
			-			•					
		+									
		I									
)+i						
				<i>(</i> :							

NOTE: Date & initial all entries

Thursday, 6/21/2007 2:28:35 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, FWD (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 33040 Part Number: D2571 Job Number: Seq. #: Description: **Machine Or Operation:** SECOND CHECK 5.0 QC8 Comment: SECOND CHECK HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING POWDER COATING Comment: POWDER COATING Powder Coat GREEN SANDTEX (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICA Comment: INSPECT POWDER COAT PACKAGING 1 PACKAGING RESOURCE #1 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion



U OF OFIF

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES									
DATE	STEP		PRO	CEDURE CHAN	IGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		*									
				· · · · · · · · · · · · · · · · · · ·							
							-				

Part No:	PAR #:	_ Fault Category:		··· · · · · · · · · · · · · · · ·	NCR: Yes No	DQA:	Date:	
			•		QA: N/C	Closed:	Date:	

NCR:		V	WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification	Approval	Approval				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector				
		÷										
		,										
							-					
		\$ A										
				ş-	*							
				i e								

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	33040
Description: Saddle, Fwd Outboard	Part Number:	D2571
Inspection Dwg: D2571 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

				Re	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	< DT8682	0.439	0.439	0.439	0,439		
В	1.745	1.755		1.756	1.749	1,749	1.744		
С	3.495	3.505		3-499	3.506	3.499	3.499		
D	1.745	1.755		1.750	1.749	1.749	1.749		
E	7.990	8.010		8.000	7.998	8.000	7.998		
F	0.490	0.510		0.501	0.504	0,505	0.505		
G	0.257	0.262	DT8683>	0.25%	0.258	0.258	0.258		
Н	0.375	0.380	-DT8684 ∼	0.377	0.372	0.377	0.377		
I	0.490	0.510		0.501	0.998	0,499	0.500		
J	1.174	1.184		1.178	1.178	1.178	1.178		
K	0.558	0.578		0.566	0.565	0.567	0.566		
L	1.174	1.184		1.178	1.178	1.178	1.178		
М	1.490	1.500		1.494	1.494	1.494	1.494		
N	2.495	2.505		2.498	2,500	2.499	2.499		
0	3.869	3.879		3.872	3872	3,871	3,872		
Р	0.115	0.135		0.123	0.124	0.124	0.123		
Q	0.115	0.135		0.135	0.135	0.135	0,135		
R	0.240	0.260		0.251	0.257	0.252	0.251		
S	0.115	0.135		0.131	0.131	0.129	0.136		
T	0.178	0.198		0.188	0.188	0.188	0.188		
C	2.940	2.980		2960	2,961	2960	2.960		
V	0.230	0.250		0.241	0.241	0.238	0.240		
W	0.115	0.135		0.122	0.125	0.127	0.127	*	
Χ	0.308	0.313		0.3/1	0.311	0.310	0.3/0		
Υ	0.760	0.765		0.761	0.761	0.761	0.761		
Z	0.352	0.372	-	0.366	0.360	0.361	0.343		• 7
AA	0.470	0.530		0.500	0.500	0.500	0.506		
AB	0.615	0.635	>=	0.629	0.632	0.632	6.632		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.249	6.248	0.246	0.247		
AE	1.375	1.395		1387	1.386	1.387	1.387		
AF	0.115	0.135		0.132	0.132	0.130	0,136		
AG	0.240	0.280		0.255	0.260	0.266	0.260		
AH	0.240	0.260		0.257	0.250	0.248	0.250		
Al	2.000	2.020		2.001	2.000	2.005	2.000		
AJ	0.023	0.043	ı	0.033	6.033	0,033	0,033		
	Acc	ept/Reje	ct				L		

Measured by:	Ang.	Audited by
Date:	07/07/09	Date: 04/04/13

Date	Change	Revised by	Approved
	New Issue	RF	
02.09.24	Re-format; Added Rev. D	KJ	
02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
05.05.05	Added dimension Al	KJ/RF	-1
05.12.05	Added dimension AJ	KJ/JLM ok	Gill
	02.09.24 02.10.11 05.05.05	New Issue	New Issue RF 02.09.24 Re-format; Added Rev. D KJ 02.10.11 Re-format; Added DT8682, DT8683, DT8684 KJ 05.05.05 Added dimension AI KJ/RF

DART AEROSPACE LTD	Work Order:	33040
Description: Saddle, Fwd Outboard	Part Number:	D2571
Inspection Dwg: D2571 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

				Red	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	→ DT8682	0.439	0.439	739	736		
В	1.745	1.755		1.749	1.749	1740	1,745		
С	3.495	3.505		3.500	3.500	7.50	3.501		
D	1.745	1.755		1,749	1.749	1.750	1,749		
Е	7.990	8.010		8.000	8.006	100.8	\ CO. \		
F	0.490	0.510		6.504	0.503	2503	. 494		
G	0.257	0.262	- D∓8683 ~	0.258	0,258	0.258	0.258		
Н	0.375	0.380	< DT8684 —	6.377	0.377	0.377	0.377		
I	0.490	0.510		0.498	0.500	0.500	0,500		
J	1.174	1.184		1.178	1.178	1.178	1.178		
K	0.558	0.578		0.566	0.566	0.568	0.5708		
L	1.174	1.184		1.178	1.178	1.178	1.178		
М	1.490	1.500		1.494	1.494	1.494	1.494		
N	2.495	2.505		2.500	2,500	2.500	2,506		
0	3.869	3.879		3872	3.872	3,872	3.872		
Р	0.115	0.135		0.124	0.124	0.123	0.123		
α	0.115	0.135	-	0.135	0.135	0.135	0.135		
R	0.240	0.260		0,257	0.257	0.257	0.257		
S	0.115	0.135		0.132	0.131	0.131	0.131		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.961	2.961	2.960		
V	0.230	0.250		0,246	0.241	0,238	0,239		
W	0.115	0.135		0.126	0.126	0.122	0.122		
Х	0.308	0.313		0.310	0.316	-311	317		
Υ	0.760	0.765		0.760	6.761	. 402	.762		
Z	0.352	0.372		0.363	0.362	-363	-366		
AA	0.470	0.530		0,500	0.500	0.500	0.500		
AB	0.615	0.635		0.432	0.634	634	, 630		
AC	0.053	0.073		0.063	0.063	0.063	B.063		
AD	0.240	0.260		0.248	0.249	0.248	0.247		
AE	1.375	1.395		1.388	1.386	1.386	1.386		
AF	0.115	0.135		0.138	0.132	0.132	0.132		
AG	0.240	0.280		0.266	0.260	0.260	1.260		
АН	0.240	0.260		0.250	0.251	0.248	0249		
ΑI	2.000	2.020		2.002	2.001	2.001	2.001		
AJ	0.023	0.043		0.633	0.633	033	.033		•
,	Acc	ept/Reje	ct					4.0	

Measured by:	Audited by JA
Date: 07.02.10	Date: 07/07//3

Rev Date		Change	Revised by	Approved	
Α	•	New Issue	RF		
Brei	02.09.24	Re-format; Added Rev. D	KJ		
C [*]	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ		
D	05.05.05	Added dimension Al	KJ/RF	. 1	
Œ	05.12.05	Added dimension AJ	KJ/JLM a	all	

DART AEROSPACE LTD	Work Order:	33040
Description: Saddle, Fwd Outboard	Part Number:	D2571
Inspection Dwg: D2571 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

					Recorded Actual Dimensions					
	Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
	Α	0.438	0.443	DT8682	. 439	.439	-439	.437		
	В	1.745	1.755		120	1.750	1700	1750		
	С	3.495	3.505		ODD. [3.500	GOE. E	3.500		
	D	1.745	1.755		6448	1750	1.741	1.750		
	E	7.990	8.010		7.002	See. 8	100°	8-000		
	F	0.490	0.510		.500	· ५ १४	.301	-200		
	G	0.257	0.262	- DT8663	-258	-258	-238	258		
	Н	0.375	0.380	<d∓8684< th=""><th>326</th><th>. 376</th><th>-376</th><th>.376</th><th></th><th></th></d∓8684<>	326	. 376	-376	.376		
.342	I	0.490	0.510		1500	,50	- 400	1001		
	J	1.174	1.184		1.175	1.175	1179	1175		
. 439	K	0.558	0.578		567	367	-267	.5+1		
	L	1.174	1.184		1.175	1/79	6/77	1.17.9		
	М	1.490	1.500		1.485	1495	1.485	1.485		
	Ν	2.495	2.505		2,755	2.500	2,499	2.498		
	0	3.869	3.879		3.874	3.874	3,874	7.874		
	Р	0.115	0.135		,12 \$	123	(24)	-123		
ſ	Q	0.115	0.135		-133	-134	130	136		
	R	0.240	0.260		.254	-252	.252	.257		
	S	0.115	0.135		.130	,129	.137	-129		
-	T	0.178	0.198		-188	.188	-188	.188		
	U	2.940	2.980		2.563	2,763	2762	2,963		
	V	0.230	0.250	9	241	.242	241	,241		
4:	W	0.115	0.135		-124	.126	125	.125		
	Х	0.308	0.313		311	310	310	311		
	Υ	0.760	0.765		.762	762	-762	- 76Q		
	Z	0.352	0.372		-364	-364	1363	-364		
	AA	0.470	0.530		-500	-500	-500	-500		
	AB	0.615	0.635		631	-630	2530	632		
	AC	0.053	0.073		.063	500-	-063	063		
	AD	0.240	0.260		-251	250	251	.25/		
	AE	1.375	1.395		6388	1288	1.383	1.388		
	AF	0.115	0.135		130	.130	1130	-/3Q		
	AG	0.240	0.280		-260	.260	26e	.260		
-	AH	0.240	0.260		257	-252	.252	-252		
	Αi	2.000	2.020		2.003	2.003	2-203	2002		
	AJ	0.023	0.043		-033	650	-033	-033		
		Acc	ept/Reje	ct						

Measured by:	Audited by
Date: 07.07.10	Date: 07/07/3

Rev Date		Change	Revised by	Approved	
Α		New Issue	RF		
В	02.09.24	Re-format; Added Rev. D	KJ		
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ		
D.*	05.05.05	Added dimension AI	KJ/RF	1	
E	05.12.05	Added dimension AJ	KJ/JLM ox	all	

